

Think kidneys CCG Acute Kidney Injury Quarterly Report

for NHS HILLINGDON CCG (E38000082)-July 2020 to September 2020

The quarterly rate of AKI alerts in this CCG is 1,756 per million population

The confidence that this is an accurate estimate of the real rate of AKI alerts is **AMBER**

How to interpret the confidence rating

In respect of quarterly AKI rates all CCG are categorised as:

GREEN - where we are confident that all the labs serving this CCG population provided data for this period. This means that all labs in the CCG, and all labs in neighbouring CCGs, provided data. This is likely to be the real rate of AKI alerts in the CCG population during these three months.

AMBER - where only some of the labs serving this CCG population provided data for this period. The labs within the CCG provided data but not all the neighbouring CCG labs. Data for people living towards the boundaries of the CCG may well be missing. This means that the score is likely to be an under-estimation of the real rate of AKI alerts in the CCG population during these three months.

RED - where we have little or no data from the labs covering the CCG population for this period. This is because at least one of the labs within the CCG has not provided data. This means that the score is likely to be a significant under-estimation of the real rate of AKI alerts in the CCG population during this quarter.

How is this report different to earlier reports

Since the last CCG report there have been several changes to NHS structures – and in particular a significant reduction in the overall number of CCG in England. At the same time, we have changed the frequency of the AKI reports that we issue from quarterly to twice per year. We have made this change to give a small increase in the time laboratories have to report the warning-test-scores – because this small concession significantly increases the completeness of the data-returns and the overall number of CCGs for which we have GREEN level of confidence in the AKI rate.

With the increase in completeness of reporting, and the reduction in the number of CCG we now have an opportunity to modify the way we assess CCG population coverage. We hope to use this new method along with an explanation on how it differs to the current method in time for the next report.

How does NHS Hillingdon CCG compare to others?


Think kidneys CCG Acute Kidney Injury Quarterly Report

for NHS HILLINGDON CCG (E38000082)-July 2020 to September 2020

In the three months covered by this report 174 of 189 pathology labs in England have provided sufficient data on AKI to be included in this report.

84 CCGs have an AKI rate confidence of GREEN. The range of rate of AKI alerts in these CCGs is shown below:

Figure 1. AKI rate for covered CCGs (July 2020 - September 2020)



What does this quarter's result say about the AKI rates for NHS Hillingdon and how can we move a CCG that is RED/AMBER to GREEN?

Look at the list of labs which are required to enable reporting an AKI rate. In March 2015 NHS England issued a Patient Safety Alert requiring all labs to submit data on AKI to the UK Renal Registry (UKRR). Please contact your local labs directly if they are not reporting.

What can we say about mortality associated with AKI in England as a whole?

Over the last twelve months (July 2020 - September 2020) there have been 592,000 AKI episodes reported to the UK Renal Registry.

Using all the AKI alerts submitted in the last 12 months the overall age and sex adjusted thirty-day mortality is 18.1% and is higher with increased AKI stage.

Table 1. Thirty day crude and adjusted mortality for age and sex (July 2020 - September 2020)

AKI stage	N	Crude mortality (%)	Adjusted for age and sex (%)
1	388,241	13.81	12.67
2	97,037	28.41	25.78
3	79,206	33.75	31.47
Total*	564,484	19.12	18.15

*The total number of episodes is lower than the total number of AKI episodes that have been reported to the UKRR because of missing data in the mortality adjustment

How to improve AKI reporting in NHS Hillingdon if not GREEN?

These are the laboratories that need to send data to the UKRR to report an AKI rate for this CCG in order for the AKI confidence to be GREEN.

Table 2. Laboratories within the CCG

Home laboratories		Submitting data
Name	Code	
HILLINGDON HOSPITAL	697J0	Yes
HAREFIELD HOSPITAL LABORATORY MEDICINE DEPT	69840	Yes but poor data quality

Table 3. Laboratories in the neighbouring CCG

Neighbouring CCG's	Laboratories		Submitting data
	Name	Code	
E38000048	EALING HOSPITAL LABORATORY	691A0	Yes
E38000074	ROYAL NATIONAL ORTHOPAEDIC HOSPITAL LABORATORY	69KTV	Yes
E38000079	WEST HERTFORDSHIRE HOSPITALS LABORATORY	69510	Yes
	HEMEL HEMPSTEAD HOSPITAL LABORATORY	69950	Yes
E38000084	WEST MIDDLESEX UNIVERSITY LABORATORY	695Y0	Yes
E38000223	SOUTH BUCKINGHAMSHIRE LABORATORY	694Q0	Yes
	STOKE MANDEVILLE HOSPITAL LABORATORY	69580	Yes
E38000224	WEXHAM PARK HOSPITAL LABORATORY	69230	Yes
E38000246	ASHFORD & ST PETER'S HOSPITAL LABORATORY	69050	Yes
	EAST SURREY HOSPITAL LABORATORY	691F0	Yes
	ROYAL SURREY COUNTY HOSPITAL LABORATORY	694B0	Yes
	EPSOM HOSPITAL LABORATORIES	69760	Yes

Notes

What is Acute Kidney Injury (AKI)?

AKI is the term for a rapid decline in kidney function over a period of hours or days. It is commonly associated with acute illness especially in people who are more vulnerable because of their age or long-term conditions. As this report shows people with AKI have a significantly increased risk of dying. A significant proportion do not recover normal kidney function afterwards and develop chronic kidney disease. Several places in the UK are implementing strategies to tackle AKI.

What can I do if my CCG is AMBER or RED?

Look at the list of labs which are required to enable reporting an AKI rate. In March 2015 NHS England issued a Patient Safety Alert requiring all labs to submit data on AKI to the UKRR. Please contact your local labs directly if they are not reporting.

How is the rate of AKI alerts calculated?

An AKI alert is counted if it is received for person with a postcode inside the CCG boundary during the three-month reporting period. All stages of AKI alert are included, but during an episode of AKI only the first alert is counted. A person is considered to have a new episode of AKI (and included in the count/ rate) if they have never had a previous alert, or it is more than 30 days since their last AKI alert. The three-month rate is calculated using the resident CCG population.

For further information about AKI please visit www.thinkkidneys.org